

**Original signed by David Hoy on 27/4/2018**  
**Date determined: 19/4/2018**  
**Date operates: 27/4/2018**  
**Date lapses: 27/4/2023**

Simon Huang  
7 Spring Mill Avenue  
ROUSE HILL NSW 2155

D305/17  
MAM (CIS)

**ENVIRONMENTAL PLANNING AND ASSESSMENT ACT, 1979 AS AMENDED  
ROADS ACT 1993, AND LOCAL GOVERNMENT ACT 1993 AS APPLICABLE**

**Notice to Applicant of Determination of a Development Application**

Pursuant to Section 4.18 of the Act, notice is given that Development Application No. **305/17** proposing **proposed fit-out and use of premises for food and drink premises (restaurant and bar) for 150 patrons and associated signage** on land described as **3/121 Walker Street, North Sydney** has been determined under delegated authority by the granting of consent subject to the conditions below. Where indicated, approval is also granted for works on public roads under the provisions of Section 138 of the Roads Act 1993 and Section 68 of the Local Government Act 1993. An index of conditions is also attached on the last page of this Notice.

**A. *Conditions that Identify Approved Plans***

**Development in Accordance with Plans/documentation**

- A1. The development must be carried out in accordance with the following drawings and documentation and endorsed with Council's approval stamp, except where amended by the following conditions of this consent.

<b>Drawing No.</b>	<b>Issue</b>	<b>Dated</b>	<b>Title</b>	<b>Drawn by</b>	<b>Received</b>
2	E	21.10.17	Proposal Floor Plan	Isaac Building Design Group	23.10.17
4	C	1.7.17	Mezzanine Floor Plan	Isaac Building Design Group	31.8.17
5	C	1.7.17	Sections	Isaac Building Design Group	31.8.17
7	E	15.2.17	Signage	Isaac Building Design Group	31.8.17
14	C	1.3.17	Outdoor Areas Plan	Isaac Building Design Group	31.8.17

(Reason: To ensure that the form of the development undertaken is in accordance with the determination of Council, Public Information)

**Plans on Site**

- A2. A copy of all stamped approved plans, specifications and documents (including the plans, specifications and documents submitted and approved with the Construction Certificate) must be kept on site at all times so as to be readily available for perusal by any officer of Council or the Principal Certifying Authority.

All documents kept on site in accordance with this condition must be provided to any officer of the Council or the certifying authority upon their request.

(Reason: To ensure that the form of the development undertaken is in accordance with the determination of Council, Public Information and to ensure ongoing compliance)

### **No Demolition of Extra Fabric**

A3. Alterations to, and demolition of the existing building shall be limited to that documented on the approved plans.

(Reason: To ensure compliance with the approved development)

### **Building Works**

A4. Any fit-out works not covered under the building certificate (BA 2/2018) and that are required for the completion of the works to the premises and to achieve compliance with the BCA and the Australian Standard AS 4674 – Design, construction and fit out of food premises, are to be included under a construction certificate to ensure that all the required works are completed prior to the occupation of the premises.

(Reason: to clarify the terms of this consent and ensure that the proposal complies with the BCA and AS 4674 - Design, construction and fit out of food premises)

### **Compliance with AS 4674 - Design, construction and fit out of food premises**

A5. The proposed wash hand basins in the kitchen must be at bench height and located no more than 5m away from any place where food handlers are handling open food, to comply with the AS 4674 – Design, construction and fit out of food premises

(Reason: To comply with the AS 4674 - Design, construction and fit out of food premises)

### **Use of Premises**

A6. Consent is granted for use of the premises as a food and drink premises and is contingent on compliance with the attached conditions of development consent. Nothing in this consent confers approval for the use of the premises as a pub or general bar. The premises must maintain appropriate licensing at all times suitable for operation as a restaurant and bar.

(Reason: to clarify the terms of the consent)

### **Crime prevention through Environmental Design**

A7. The following Crime Prevention Through Environmental Design (CPTED) treatment must be implemented in order to reduce opportunities of crime:

- a. The front entrance must be well-lit at all times and vegetation to be trimmed to improve the natural surveillance of the front entrance.
- b. An intruder alarm system should be designed and installed to the Australian Standard - Domestic & Commercial Alarm Systems to enhance the physical security of the premises.
- c. Appropriate signage should be erected inside and around the perimeter of the entire property to warn of security treatments in place e.g. "This site is under 24-hour video surveillance".
- d. The front windows of business should remain free of clutter and promotional material so as not to restrict sightlines into and out of the premises.
- e. All 'Staff only' areas should be clearly marked as such and physical barriers such as doors and gates should be erected to prevent unauthorised entry.
- f. Staff should be provided with a secure area in which to store their personal effects whilst working.
- g. Lighting in and around the proposed development should comply with Australian Standard AS: 1 158 and should provide for adequate, uniform illumination.

External lighting should be of a 'white light' source. Note that high or low pressure sodium 'orange' lighting is not compatible with quality surveillance systems. Internal lighting should be controlled from 'Staff only' areas, away from public access. If this is not possible, use tamper-resistant switches. Luminaries (light covers) should be designed to reduce opportunities for malicious damage. Internal after-hours security lighting should provide adequate illumination to allow inspection by security patrols.

- h. Doors should be of solid construction, and should be fitted with quality deadlock sets that comply with the Building Code of Australia and Australian Standards - Lock Sets AS:4145.
- i. Windows within the businesses should also be of solid construction. These windows should be fitted with quality window lock sets that comply with the Australian Standards - Lock Sets AS:4145. Glass within doors and windows should be reinforced to restrict unauthorised access. The glass can be either fitted with a shatter-resistant film or laminated to withstand physical attacks.

- j. Tills should be positioned out of reach and should front customers to enable staff to maintain vision of the servicing area and beyond.
- j. An efficient and secure Cash Collection and Storage system should be implemented to minimise the risk of robbery offences and should include a safe designed and installed to the Australian Standards.
- k. An emergency control and evacuation plan should be implemented within the business. Management and staff should be trained in the execution of the plan in emergency situations.
- l. Wheelchair access (ramp) should at no time be blocked nor impede access to anyone with a disability.
- k. The public toilet (including disabled) facilities should be positioned in areas that are easily accessed. The toilets should be regularly monitored to detect any anti-social behaviour and ensure there are no issues with drug use i.e. if syringes are a problem, then the use of a sharps container should be considered.

(Reason: To reduce opportunities of crime, as recommended by the Police)

***C. Prior to the Issue of a Construction Certificate (and ongoing, where indicated).***

**Cleanliness and Maintenance of Food Preparation Areas**

- C1. To ensure that adequate provision is made for the cleanliness and maintenance of all food preparation areas, all building work in connection with the occupation or use of the premises for the preparation and storage of food shall be designed and carried out in accordance with the requirements of: -
- a) the Food Act 2003;
  - b) the Food Regulation;
  - c) the relevant Australian Standards;
  - d) Council's Food Premises Code;
  - e) Sydney Water Corporation - Trade Waste Section;
  - f) the Protection of the Environment Operations Act and associated Regulations; and
  - g) the Building Code of Australia.

Plans and specifications which comply with this condition must be submitted to the Certifying Authority for approval prior to the issue of any Construction Certificate.

The Construction Certificate plans and documentation must incorporate details of the following: -

- a) construction, materials and finishes;
- b) installation of fixtures, fittings and equipment;
- c) washing facilities, other facilities and special requirements;

- d) mechanical ventilation and exhaust discharges; and
- e) temperature control

The Certifying Authority must ensure that the building plans and specifications submitted, referenced on and accompanying the issued Construction Certificate, fully satisfy the requirements of this condition.

(Reason: To ensure compliance with acceptable standards for the construction of food premises established under environmental health and safety legislation)

### **Garbage and Recycling Facilities**

- C2. Adequate provision must be made for the storage of waste and recyclable material generated by the premises. Plans and specifications which comply with this condition must be submitted to the Certifying Authority for approval prior to the issue of any Construction Certificate. The Certifying Authority must ensure that the building plans and specifications submitted, referenced on and accompanying the issued Construction Certificate, fully satisfy the requirements of this condition.

(Reason: To ensure the provision of appropriate waste facilities and to ensure efficient collection of waste by collection contractors)

### **Asbestos Material Survey**

- C3. A report must be prepared by a suitably qualified person in relation to the existing building fabric to be demolished and/or disturbed identifying the presence or otherwise of asbestos contamination and, if asbestos contamination is present, making recommendations as to the work required to safely address the contamination.

Any demolition works or other works identified in the report as having to be carried out must be carried out in accordance with the recommendations of the report and the following:

- a) the removal of asbestos must be undertaken by a WorkCover licensed contractor;
- b) all removal must be in strict accordance with the requirements of the WorkCover Authority in relation to the removal, handling and disposal of material containing asbestos and any Work Safe Australia requirements.
- c) during the removal of any asbestos a sign stating “DANGER ASBESTOS REMOVAL IN PROGRESS” must be erected in a visible position at the boundary of the site; and
- d) Waste disposal receipts must be provided to the Certifying Authority as proof of correct disposal of asbestos laden waste.

The report must be submitted to the Certifying Authority for approval prior to the issue of any Construction Certificate. The Certifying Authority must ensure that the report, and other plans, referenced on and accompanying the issued Construction Certificate, fully satisfy the requirements of this condition.

(Reason: To ensure the long term health of workers on site and occupants of the building is not put at risk unnecessarily)

### **Noise from Plant and Equipment**

C4. The use of all plant and equipment installed on the premises must not:

- (a) Contribute an LAeq(15min) which will cause the total LAeq(15min) from all plant and equipment operating contemporaneously on the site or in the strata scheme or in the mixed strata schemes to exceed the RBL by more than 5dB when measured at the boundary of any affected receiver. The modifying factor adjustments in Section 4 of the EPA Industrial Noise Policy shall be applied.
- (b) Cause “offensive noise” as defined in the *Protection of the Environment Operations Act 1997*.

“affected receiver” includes residential premises (including any lot in the strata scheme or another strata scheme), premises for short-term accommodation, schools, hospitals, places of worship, commercial premises and parks and such other affected receiver as may be notified by the Council in writing.

“boundary” includes any window or elevated window of an affected receiver.

Terms in this condition have the same meaning as in the Noise Guide for Local Government and the Industrial Noise Policy published by the NSW Environment Protection Authority.

(Reason: To maintain an appropriate level of amenity for adjoining land uses)

### **Noise Control (Licensed Premises)**

C5. The use of the premises must comply with the following:

- (a) The LA10 noise level emitted from the use of the premises must not exceed the background noise level (LA90) in any Octave Band Centre Frequency (31.5 Hz to 8 kHz inclusive) by more than 5dB between the hours of 7.00am and 12.00 midnight when assessed at the boundary of any affected residence.
- (b) The LA10 noise level emitted from the use must not exceed the background noise level (LA90) in any Octave Band Centre Frequency (31.5 Hz to 8 kHz inclusive) between the hours of 12.00 midnight and 7.00am when assessed at the boundary of any affected residence.

- (c) Notwithstanding compliance with (a) and (b) above, the noise from the use must not be audible within any habitable room or sleeping area in any affected residence between the hours of 12.00 midnight and 7.00am.
- (d) The LA10 noise level emitted from the use must not exceed the background noise level (LA90) in any Octave Band Centre Frequency (31.5 Hz to 8 kHz inclusive) by more than 3dB when assessed indoors at any affected commercial premises with windows closed.
- (e) The use of the premises must be controlled so that any emitted noise is at a level so as not to create an “*offensive noise*” as defined in the *Protection of the Environment Operations Act 1997*.

“affected residence” includes residential premises (including any lot in the strata scheme or any other strata scheme), premises for short-term accommodation and hospitals.

“boundary” includes any window or elevated window of an affected residence.

LA10 is the average maximum A-weighted Fast Response sound level emitted from the premises.

LA90 shall be measured in the absence of all noise from the premises (including mechanical plant noise).

Terms in this condition have the same meaning as in the Noise Guide for Local Government and the Industrial Noise Policy published by the NSW Environment Protection Authority.

(Reason: To ensure the amenity of surrounding land uses)

### **Compliance with Acoustic Report**

- C6. The recommendations contained in the acoustic report prepared by Acoustic Logic, dated 3.3.2017 and received by Council on 31.8.17, must be implemented during construction and use of the development.

A statement from an appropriately qualified acoustical consultant eligible for membership of the Association of Australian Acoustic Consultants, certifying that the acoustic mitigation measures outlined in the above stated report have been suitably incorporated into the development and that relevant noise criteria have been satisfied, must be submitted to the Certifying Authority for approval prior to the issue of any Construction Certificate.

The Principal Certifying Authority must ensure that the building plans and specifications submitted, referenced on and accompanying the issued Construction Certificate, fully satisfy the requirements of this condition.

(Reason: To maintain an appropriate level of amenity for adjoining land uses)

**Signage design - Control of the Obtrusive Effects of Outdoor Lighting**

- C7. The signage must be designed in accordance with AS 4282-1997 control of obtrusive effects of outdoor lighting.

Plans and specifications complying with this condition must be submitted to the Certifying Authority for approval prior to the issue of any Construction Certificate. The Certifying Authority must ensure that the building plans and specifications submitted, referenced on and accompanying the issued Construction Certificate, fully satisfy the requirements of this condition.

(Reason: To maintain the amenity of adjoining land uses)

**Provision of Accessible Paths of Travel**

- C8. Access from the Walker Street pedestrian entry to the premises and access throughout the ground floor must be designed and constructed to provide access and facilities in accordance with the Building Code of Australia and Disability (Access to Premises – Buildings) Standards 2010. Plans and specifications complying with this condition must be submitted to the Certifying Authority for approval prior to the issue of any Construction Certificate. The Certifying Authority must ensure that the building plans and specifications submitted, referenced on and accompanying the issued Construction Certificate, fully satisfy the requirements of this condition.

Notes:

1. If, in complying with this condition, amendments to the development are required, the design changes must be submitted for the approval of Council prior to a Construction Certificate being issued. Approval of a modification application may be required.
2. It is not within Council's power to set aside National legislation which requires the upgrade of buildings to meet modern access standards. Such decisions remain the jurisdiction of the Building Professionals Board Access Advisory Committee who may grant an exemption in certain exceptional circumstances.
3. Information on making an application for an "unjustifiable hardship exemption" under the accessibility standards can be found in the website of the NSW Building Professional Boards at:  
<http://www.bpb.nsw.gov.au/page/premises-standards>

(Reason: To ensure the provision of equitable and dignified access for all people in accordance with disability discrimination legislation and relevant Australian Standards)



**Upgrade of existing building – Fire Spread and Safe Egress**

- C9. Pursuant to clause 94 of the EP&A Regulation 2000, aspects of the existing building must be brought into conformity with the Building Code of Australia (BCA).

Work must be carried out as part of the development so as to upgrade the building to bring it into compliance with Sections C, D & E of the NCC BCA 2016, Volume 1.

Plans and specifications showing the upgrading works **which must be carried out under** this condition must be submitted to the Certifying Authority for approval prior to the issue of any Construction Certificate.

Notes:

- 1) The Certifying Authority must be satisfied that the plans and specifications submitted prior to the issue of any Construction Certificate comply with the requirements of this condition.
- 2) The Certifying Authority issuing the Construction Certificate has no power to remove the requirements to upgrade the existing building as required by this condition.
- 3) Where this condition specifies compliance with the performance requirements of the BCA, the Certifying Authority, subject to their level of accreditation, may be satisfied as to such matters.

(Reason: Application of Regulations relating to Fire and Life Safety)

***D. Prior to the Commencement of any Works (and continuing where indicated)***

**Asbestos Material Survey**

- D1. Prior to the commencement of any works, a report must be prepared by a suitably qualified person in relation to the existing building fabric to be demolished and/or disturbed identifying the presence or otherwise of asbestos contamination and, if asbestos contamination is present, making recommendations as to the work required to safely address the contamination.

Any demolition works or other works identified in the report as having to be carried out must be carried out in accordance with the recommendations of the report and the following:

- a) the removal of asbestos must be undertaken by a WorkCover licensed contractor;

- b) all removal must be in strict accordance with the requirements of the WorkCover Authority in relation to the removal, handling and disposal of material containing asbestos and any Work Safe Australia requirements.
- c) during the removal of any asbestos a sign stating “DANGER ASBESTOS REMOVAL IN PROGRESS” must be erected in a visible position at the boundary of the site; and
- d) Waste disposal receipts must be provided to the Certifying Authority as proof of correct disposal of asbestos laden waste.

The report must be submitted to the Certifying Authority for approval prior to the issue of any Construction Certificate. The Certifying Authority must ensure that the report, and other plans, referenced on and accompanying the issued Construction Certificate, fully satisfy the requirements of this condition.

(Reason: To ensure the long term health of workers on site and occupants of the building is not put at risk unnecessarily)

#### **Commencement of Works Notice**

- D2. Building work, demolition or excavation in accordance with this development consent must not be commenced until the developer has given at least 2 days’ notice to North Sydney Council of the person’s intention to commence building work, demolition or excavation in accordance with this development consent.

(Reason: To ensure appropriate safeguarding measures are in place prior to the commencement of any building work, demolition or excavation)

#### ***E. During Demolition and Building Work***

##### **Parking Restrictions**

- E1. Existing public parking provisions in the vicinity of the site must be maintained at all times during works. The placement of any barriers, traffic cones, obstructions or other device in the road shoulder or kerbside lane is prohibited without the prior written consent of Council. Changes to existing public parking facilities/restrictions must be approved by the North Sydney Local Traffic Committee. The Developer will be held responsible for any breaches of this condition, and will incur any fines associated with enforcement by Council regulatory officers.

(Reason: To ensure that existing kerbside parking provisions are not compromised during works)

### **Road Reserve Safety**

- E2. All public footways and roadways fronting and adjacent to the site must be maintained in a safe condition at all times during the course of the development works, with no obstructions caused to the said footways and roadways. Construction materials and plant must not be stored in the road reserve without approval of Council. A safe pedestrian circulation route and a pavement/route free of trip hazards must be maintained at all times on or adjacent to any public access ways fronting the construction site.

Where public infrastructure is damaged, repair works must be carried out in when and as directed by Council officers (at full Developer cost). Where pedestrian circulation is diverted on to the roadway or verge areas, clear directional signage and protective barricades must be installed in accordance with AS1742-3 (1996) "Traffic Control Devices for Work on Roads". **If pedestrian circulation is not satisfactorily maintained across the site frontage, and action is not taken promptly to rectify the defects, Council may undertake proceedings to stop work.**

(Reason: Public Safety)

### **Removal of Extra Fabric**

- E3. Should any portion of the existing building, trees, or curtilage of the site which is indicated on the approved plans to be retained be damaged for whatever reason, all the works in the area of the damaged portion are to cease and written notification of the damage is to be given to Council forthwith. No work is to resume until the written approval of Council to do so is obtained. Failure to comply with the provisions of this condition may result in the Council taking further action including legal proceedings if necessary.

(Reason: To ensure compliance with the terms of this development consent)

### **Dust Emission and Air Quality**

- E4. The following must be complied with at all times:
- (a) Materials must not be burnt on the site.
  - (b) Vehicles entering and leaving the site with soil or fill material must be covered.
  - (c) Dust suppression measures must be carried out to minimise wind-borne emissions in accordance with the NSW Department of Housing's 1998 guidelines - Managing Urban Stormwater: Soils and Construction.

- (d) Odour suppression measures must also be carried out where appropriate so as to prevent nuisance occurring at adjoining properties.

(Reason: To ensure residential amenity is maintained in the immediate vicinity)

### **Developer's Cost of Work on Council Property**

- E5. The developer must bear the cost of all works associated with the development that occurs on Council's property, including the restoration of damaged areas.

(Reason: To ensure the proper management of public land and funds)

### **No Removal of Trees on Public Property**

- E6. No trees on public property (footpaths, roads, reserves, etc.) unless specifically approved by this consent shall be removed or damaged during construction including for the erection of any fences, hoardings or other temporary works.

(Reason: Protection of existing environmental infrastructure and community assets)

### **Special Permits**

- E7. Unless otherwise specifically approved in writing by Council, all works, processes, storage of materials, loading and unloading associated with the development must occur entirely on the property.

The developer, owner or builder may apply for specific permits available from Council's Customer Service Centre for the undermentioned activities on Council's property. In the event that a permit is granted by Council for the carrying out of works, processes, storage of materials, loading and unloading associated with the development on Council's property, the development must be carried out in accordance with the requirements of the permit. A minimum of forty-eight (48) hours' notice is required for any permit: -

1) **On-street mobile plant**

E.g. cranes, concrete pumps, cherry-pickers, etc. - restrictions apply to the hours of operation, the area of operation, etc. Separate permits are required for each occasion and each piece of equipment. It is the developer's, owner's and builder's responsibilities to take whatever steps are necessary to ensure that the use of any equipment does not violate adjoining property owner's rights.

(Reason: Proper management of public land)

2) **Hoardings**

Permits are required to erect Class A and Class B hoardings. If an 'A' Class hoarding is to alienate a section of Council's property, that section will require a permit for the occupation of Council's property.

(Reason: Proper management of public land)

3) **Storage of building materials and building waste containers (skips) on Council's property**

Permits to utilise Council property for the storage of building materials and building waste containers (skips) are required for each location. Failure to obtain the relevant permits will result in the building materials or building waste containers (skips) being impounded by Council with no additional notice being given. Storage of building materials and waste containers on open space reserves and parks is prohibited.

(Reason: Proper management of public land)

4) **Kerbside restrictions, construction zones**

Attention is drawn to the existing kerbside restrictions adjacent to the development. Should alteration of existing kerbside restrictions be required, or the provision of a construction zone, the appropriate application must be made and the fee paid to Council. Alternatives to such restrictions may require referral to Council's Traffic Committee and may take considerable time to be resolved. An earlier application is suggested to avoid delays in construction programs.

(Reason: Proper management of public land)

**Construction Hours**

E8. Building construction and works must be restricted to within the hours of 7.00 am to 5.00 pm Monday to Friday and on Saturday to within the hours of 8.00 am to 1.00 pm inclusive, with no work on Sundays and Public Holidays.

Demolition and excavation works must be restricted to within the hours of 8.00 am to 5.00 pm Monday to Friday only. For the purposes of this condition:

a) "Building construction" means any physical activity on the site involved in the erection of a structure, cladding, external finish, formwork, fixture, fitting of service installation and the unloading of plant, machinery, materials or the like.

- b) “Demolition works” means any physical activity to tear down or break up a structure (or part thereof) or surface, or the like, and includes the loading of demolition waste and the unloading of plant or machinery.
- c) “Excavation work” means the use of any excavation machinery and the use of jackhammers, rock breakers, excavators, loaders, or the like, regardless of whether the activities disturb or alter the natural state of the existing ground stratum or are breaking up/removing materials from the site and includes the unloading of plant or machinery associated with excavation work.

All builders, excavators must display, on-site, their twenty-four (24) hour contact telephone number, which is to be clearly visible and legible from any public place adjoining the site.

(Reason: To ensure that works do not interfere with reasonable amenity expectations of residents and the community)

### **Out of Hours Work Permits**

E9. Where it is necessary for works to occur outside those hours allowed by these conditions, an application may be made to Council's Customer Services Centre for a permit to carry out works outside of the approved hours. If a permit is issued the works approved must be carried out in accordance with any requirements specified in the permit. Permits will only be approved if **public safety is at risk**. Applications which seek a variation to construction hours solely to benefit the developer will require the lodgement and favourable determination of a modification application pursuant to the provisions of Section 96 of the Environmental Planning and Assessment Act 1979.

Notes:

- 1) Failure to obtain a permit for work outside of the approved hours will result in on the spot fines being issued, or Council pursuing any action required (including legal proceedings) to have the out of hours work cease, without prior warning.
- 2) Applications for out of hour's works should be lodged with Council no later than seven (7) calendar days prior to the date of the intended works.
- 3) Examples of activities for which permits may be granted include:
  - the erection of awnings,
  - footpath, road and other infrastructure works which cannot be carried out for public convenience reasons within normal hours,
  - the erection and removal of hoardings and site cranes, and
  - craneage of materials which cannot be done for public convenience reasons within normal working hours.

- 4) Examples of activities for which permits WILL NOT be granted include;
- extended concrete pours
  - works which are solely to convenience the developer or client, and
  - catch up works required to maintain or catch up with a construction schedule.

- 5) Further information on permits can be obtained from the Council website at [www.northsydney.nsw.gov.au](http://www.northsydney.nsw.gov.au).

(Reason: To ensure that works do not interfere with reasonable amenity expectations of residents and the community)

### **Site Amenities and Facilities**

- E10. Where work involved in the erection and demolition of a building is being carried out, amenities which satisfy applicable occupational health and safety and construction safety regulations, including any WorkCover Authority requirements, must be provided and maintained at all times. The type of work place determines the type of amenities required.

Further information and details can be obtained from the Internet at [www.workcover.nsw.gov.au](http://www.workcover.nsw.gov.au)

(Reason: To ensure the health and safety of the community and workers on the site)

### **Health and Safety**

- E11. All work undertaken must satisfy applicable occupational health and safety and construction safety regulations, including any WorkCover Authority requirements to prepare a health and safety plan. Site fencing must be installed sufficient to exclude the public from the site. Safety signs must be erected that warn the public to keep out of the site, and provide a contact telephone number for enquiries.

Further information and details regarding occupational health and safety requirements for construction sites can be obtained from the internet at [www.workcover.nsw.gov.au](http://www.workcover.nsw.gov.au)

(Reason: To ensure the health and safety of the community and workers on the site)

### **Prohibition on Use of Pavements**

- E12. Building materials must not be placed on Council's footpaths, roadways, parks or grass verges, (unless a permit is obtained from Council beforehand). A suitable sign to this effect must be erected adjacent to the street alignment.

(Reason: To ensure public safety and amenity on public land)

### **Plant & Equipment Kept Within Site**

- E13. All plant and equipment used in the undertaking of the development/ works, including concrete pumps, wagons, lifts, mobile cranes, hoardings etc., must be situated within the boundaries of the site (unless a permit is obtained from Council beforehand) and so placed that all concrete slurry, water, debris and the like must be discharged onto the building site, and is to be contained within the site boundaries. Details of Council requirements for permits on public land for standing plant, hoardings, storage of materials and construction zones and the like are available on Council's website at [www.northsydney.nsw.gov.au](http://www.northsydney.nsw.gov.au).

(Reason: To ensure public safety and amenity on public land)

### **Asbestos Removal**

- E14. All demolition works involving the removal and disposal of asbestos cement must only be undertaken by contractors who hold a current WorkCover Asbestos or "Demolition Licence" and a current WorkCover "Class 2 (Restricted) Asbestos Licence and removal must be carried out in accordance with National Occupational Health and Safety Commission.

(Reason: To ensure works are carried out in accordance with relevant WorkCover requirements)

### ***F. Prescribed Conditions imposed under EP&A Act and Regulations and other relevant Legislation***

#### **National Construction Code**

- F1. All building work must be carried out in accordance with the provisions of the National Construction Code.

(Reason: Prescribed - Statutory)

#### **Appointment of a Principal Certifying Authority (PCA)**

- F2. Building work, demolition or excavation in accordance with the development consent must not be commenced until the developer has appointed a Principal Certifying Authority for the building work in accordance with the provisions of the EP&A Act and its Regulations.

(Reason: Statutory; To ensure appropriate safeguarding measures are in place prior to the commencement of any building work, demolition or excavation)



### **Construction Certificate**

- F3. Building work, demolition or excavation in accordance with the development consent must not be commenced until a Construction Certificate for the relevant part of the building work has been issued in accordance with the provisions of the EP&A Act and its Regulations.

(Reason: Statutory; To ensure appropriate safeguarding measures are in place prior to the commencement of any building work, demolition or excavation)

### **Occupation Certificate**

- F4. A person must not commence occupation or use of the whole or any part of a new building (*new building* includes an altered portion of, or an extension to, an existing building) unless an Occupation Certificate has been issued in relation to the building or part. Only the Principal Certifying Authority appointed for the building work can issue an Occupation Certificate.

(Reason: Statutory)

### **Critical Stage Inspections**

- F5. Building work must be inspected by the Principal Certifying Authority on the critical stage occasions prescribed by the EP&A Act and its Regulations, and as directed by the appointed Principal Certifying Authority.

(Reason: Statutory)

### **Commencement of Works**

- F6. Building work, demolition or excavation in accordance with this development consent must not be commenced until the developer has given at least 2 days' notice to North Sydney Council of the person's intention to commence the erection of the building.

(Reason: Statutory; To ensure appropriate safeguarding measures are in place prior to the commencement of any building work, demolition or excavation)

### **Demolition**

- F7. Demolition work must be undertaken in accordance with the provisions of AS2601-Demolition of Structures.

(Reason: To ensure that work is undertaken in a professional and responsible manner and protect adjoining property and persons from potential damage)

**Site Sign**

- F8. 1) A sign must be erected in a prominent position on the site
- a) stating that unauthorised entry to the work site is prohibited;
  - b) showing the name of the principal contractor (or person in charge of the work site), and a telephone number at which that person may be contacted at any time for business purposes and outside working hours; and
  - c) showing the name, address and telephone number of the Principal Certifying Authority for the work.
- 2) Any such sign must be maintained while to building work or demolition work is being carried out, but must be removed when the work has been completed.

(Reason: Prescribed - Statutory)

**Maximum Capacity Site Sign**

- F9. A sign must be displayed in a prominent position in the building stating the maximum number of persons as specified in this development consent (150 patrons), that are permitted in the building.

(Reason: Prescribed - Statutory)

***G. Prior to the Issue of an Occupation Certificate***

**Infrastructure Repair and Completion of Works**

- G1. Prior to the issue of any Occupation Certificate any and all works relating to the development:
- a. in the road reserve must be fully completed; and
  - b. to repair and make good any damaged public infrastructure caused as a result of any works relating to the development (including damage caused by, but not limited to, delivery vehicles, waste collection, contractors, sub-contractors, concrete vehicles) must be fully repaired;

to the satisfaction of Council Engineers at no cost to Council.

(Reason: Maintain quality of Public assets)

### **Access to Premises**

- G2. Prior to the issue of any Occupation Certificate, a certificate must be prepared an appropriately qualified and practising Civil Engineer certifying that access and facilities for persons with a disability in accordance with the Building Code of Australia and AS Disability (Access to Premises – buildings) Standards 2010 (Premises Standards) has been provided. This certificate must be submitted to, and approved by, the Certifying Authority prior to issue of the Occupation Certificate.

(Reason: Equitable access and facilities for people with a disability)

### **Noise Certification**

- G3. Prior to issue of the any Occupation Certificate a certificate from an appropriately qualified acoustical consultant eligible for membership of the Association of Australian Acoustic Consultants is to be submitted to, and approved by, the Certifying Authority certifying that the noise and vibration from use of the development complies with the conditions of consent here-in.

(Reason: To ensure acoustic amenity)

### **Certification for Mechanical Exhaust Ventilation**

- G4. Prior to issue of an Occupation Certificate and following the completion, installation, and testing of all the mechanical ventilation systems, a Mechanical Ventilation Certificate of Completion and Performance in accordance with Clause A2.2(a)(iii) of the Building Code of Australia, must be submitted to, and approved by, the Certifying Authority.

(Reason: To ensure compliance with acceptable standards for the construction and operation of mechanical plant)

### **Utility Services**

- G5. All utility services shall be adjusted, to the correct levels and/or location/s required by this consent, prior to issue of an occupation certificate. This shall be at no cost to Council.

(Reason: To ensure compliance with the terms of this consent)

### **Asbestos Clearance Certificate**

- G6. For building works where asbestos based products have been removed or altered, an asbestos clearance certificate signed by an appropriately qualified person (being an Occupational Hygienist or Environmental Consultant) must be submitted to and approved by the Certifying Authority (and a copy forwarded to Council if it is not the Certifying Authority) for the building work prior to the issue of any Occupation Certificate, the asbestos clearance certificate must certify the following: -

- a) the building/ land is free of asbestos; or
- b) the building/ land has asbestos that is presently deemed safe.

The certificate must also be accompanied by tipping receipts, which detail that all asbestos waste has been disposed of at an approved asbestos waste disposal depot. If asbestos is retained on site the certificate must identify the type, location, use, condition and amount of such material.

Note: Further details of licensed asbestos waste disposal facilities can be obtained from [www.epa.nsw.gov.au](http://www.epa.nsw.gov.au)

(Reason: To ensure that building works involving asbestos based products are safe for occupation and will pose no health risks to occupants)

### ***I. On-Going / Operational Conditions***

#### **Trade Waste**

- I1. Trade waste water must be disposed of in accordance with the permit requirements of Sydney Water Corporation Ltd, Wastewater Source Control Branch.

(Reason: To ensure compliance with Sydney Water's requirements and protect the environment)

#### **Connection to Sewers of Sydney Water Corporation**

- I2. In the event a Trade Waste licence is required, waste water arising from the use must be directed to the sewers of the Sydney Water Corporation (SWC) under a Trade Waste License Agreement. Details of the Corporation's requirements should be obtained prior to the commencement of any work.

(Reason: To ensure compliance with Sydney Water's requirements and protect the environment)

#### **Noise and Vibration Impact**

- I3. The on-going use of the premises approved under this consent must comply with all conditions pertaining to noise and vibration specified in this consent.

(Reason: To ensure compliance with the specified levels of noise and vibration and to maintain the amenity of surrounding land uses)

#### **Noise Conditions for Licensed Premises**

- I4. Appropriately qualified acoustic consultant who possesses the qualifications to render them eligible for membership of the Australian Acoustic Society, Institution of Engineers Australia or the Australian Association of Acoustic Consultants must be appointed before the entertainment commences and details of that appointment submitted to Council.

During the first 60 days of entertainment being provided at the premises, the attended acoustic monitoring must be undertaken in accordance following:

- (a) The acoustic consultant must:
  - (i) measure and verify that the noise emanating from the premises complies with the noise criteria specified in this consent; and
  - (ii) if necessary, make recommendations to ensure that the noise emanating from the premises will comply with the noise criteria at all times. specified in this consent.
- (b) The noise measurements must be:
  - (i) undertaken without the knowledge of the applicant, manager or operator of the premises; and
  - (ii) taken on at least three different occasions on three different days of the week (excluding Monday, Tuesday and Wednesday) from 11 pm until the end of the entertainment or the close of business, whichever occurs first.
- (c) If the acoustic consultant recommends that additional treatment or works be undertaken under condition (a)(ii) above, those recommendations must be implemented to the acoustic consultant's and Council's satisfaction.
- (d) If the acoustic consultant's recommendations are not implemented in accordance with this condition, the premises must not be used for entertainment until such time as the recommendations are implemented and verified.

(Reason: To manage the potential for ongoing noise impacts)

### **Hours of Illumination**

- I5. All illuminated signs approved by this consent must cease illumination between the hours of 1.00am and 6.00am.

(Reason: To ensure appropriate forms of signage that are consistent with Council's controls and those that are desired for the locality, and do not interfere with amenity of nearby properties)

### **Signage Illumination Intensity**

- I6. The sign(s) must be installed and used at all times in accordance with AS 4282-1997 control of obtrusive effects of outdoor lighting and must be restricted in accordance with the following:

- (a) At no time is the intensity, period of intermittency and hours of illumination of the sign to cause objectionable glare or injury to the amenity of the neighbourhood.
- (b) The level of illumination and/or lighting intensity used to illuminate the signage must not cause excessive light spill or nuisance to any nearby residential premises.
- (c) The signage illumination must not flash.

(Reason: To ensure appropriate forms of signage that are consistent with Council's controls and those that are desired for the locality, and do not interfere with amenity of nearby properties)

### **No Entertainment**

17. This approval is for a restaurant and bar only and does not authorise musical or other forms of entertainment. A separate development consent is required for any proposed entertainment.

(Reason: Clarification of terms of this consent and ensure compliance with relevant legislation)

### **Patron Behaviour**

18. The proprietors/management of the premises must take all steps necessary to ensure that no noise nuisance occurs from persons entering or leaving the premises. The proprietors/management must ensure that:

- (a) A sign is placed in clearly visible position adjacent to the entry/exit of the premises requesting patrons upon leaving the premises to do so quickly and quietly, having regard to maintaining the amenity of the area.
- (b) The management/licensee must ensure that the behaviour of patrons entering and leaving the premises does not detrimentally affect the amenity of the neighbourhood.
- (c) The management/licensee must be responsible for the control of noise and litter generated by patrons of the premises and must ensure that patrons leave the vicinity of the premises in an orderly manner to the satisfaction of Council.
- (d) If so directed by Council, the [management/licensee] is to employ private security staff to ensure that this condition is complied with.

(Reason: To ensure patrons do not interfere with the acoustic amenity of residents in the immediate locality)

### **Daily Cleaning**

- I9. The proprietor/operator is to ensure that at all times when the premises are open and at the end of each day after the premises have closed, all rubbish including loose papers, cigarette butts, bottles etc. which may be left on the subject premises, site or immediately adjacent area is picked up and placed in the proprietor's/operator's rubbish bins.

(Reason: To ensure waste generated by the approved use or activity is properly managed by the person acting upon this consent, to prevent unsightly build-up of waste material)

### **Waste Collection**

- I10. Waste and recyclable material, generated by this premises, must not be collected between the hours of 10pm and 6am on any day.

(Reason: To ensure the amenity of surrounding properties)

### **Delivery Hours**

- I11. No deliveries, loading or unloading associated with the premises are to take place between the hours of 10pm and 6am on any day.

(Reason: To ensure the acoustic amenity of surrounding properties)

### **Shop Premises Registration**

- I12. The shop premises must be registered with Council and NSW Food Authority prior to commencement of operation of the approved activity. Shop Premises Registration must be maintained at all times.

Note:

- a) Council registration forms can be found at:  
<http://www.northsydney.nsw.gov.au>
- b) Notification is required to the NSW Food Authority under Standard 3.2.2 Division 2 Section 4 Notification. (see [www.foodnotify.nsw.gov.au](http://www.foodnotify.nsw.gov.au))

(Reason: To ensure compliance with environmental health legislation)

### **Footpath Seating Permit Required**

I13. Footpath seating is not to be provided unless a footpath-seating permit is obtained from North Sydney Council. The permit must be permanently displayed on the premises in accordance with the provision of Council's footpath seating policy. Appropriate public liability insurance must be obtained before a footpath seating permit will be issued.

Note: Footpath seating permits are issued on an annual basis and Council reserves the right to review the operation of outdoor seating. Failure to comply with the terms of this consent and the footpath seating permit may result in the non-renewal of any footpath seating permit

(Reason: To ensure compliance with Council's policy for the provision of outdoor seating on footpaths)

### **Hours of Operation**

I14. The hours of operation are restricted to:

Monday to Sunday: 6am to 12am

Upon expiry of the permitted hours:

- (a) all restaurant service (and entertainment) must immediately cease;
- (b) no person shall be permitted entry; and
- (c) all customers on the premises must be required to leave within the following half hour.

(Reason: to ensure that amenity of the surrounding locality is maintained and hours of operation are consistent with those in surrounding locality)

### **Restaurant Service to be Available at all Times During Operation**

I15. Food prepared in the restaurant kitchen is to be available to patrons using the premises at all times during operation till 11:00 pm nightly.

(Reason: To ensure premises operates in accordance with this consent)

### **Plan of Management**

I16. The use must always be operated and managed in accordance with the Plan of Management dated August 2017 and received by Council on 31 August 2017, and must comply with the requirements of the relevant legislation. The Plan of Management as may be varied from time to time after endorsement by the Local Area Commander.



In the event of any inconsistency between the Plan of Management and the conditions of this consent or relevant legislation, then the stricter condition or regulation shall prevail.

(Reason: Safety, security and amenity; Police recommendation)

### **Licensed Premises Registration**

- I17. The premises must be registered with the Officer of Liquor Gaming and Racing and appropriate licensing must be maintained at all times. Should the Licence be revoked or discontinued then the use of the premises in accordance with this consent must also cease.

(Reason: To ensure compliance with licensing legislation)

### **Liquor Accord**

- I18. The licensee or its representative must join and be an active participant in the local liquor accord.

The licensee, or person nominated by the licensee, must attend all general meetings of the Harbourside Liquor Accord, and remain present for the duration of the meeting, provided however, that the accord coordinator has properly advised the licensee in advance and the meeting is properly scheduled and has a set agenda. Licensee to contribute a fee and maintain membership as set by the Harbourside Liquor Accord to promote or assist an accord initiative.

(Reason: To comply with the recommendations of the Police)

### **CCTV Coverage**

- I19. CCTV coverage of the premises is to be provided 24 hours a day seven days per week. The camera placement and operation of the system shall be in accordance with the following requirements:

(a) The CCTV system shall provide a 24 hour 7 day visual time stamped recording with a good quality resolution minimum rate of ten (10) frames per second at a resolution of at least 640 pixels by 480 lines/pixels and include sound recording. The recording equipment should be locked away to reduce the likelihood of tampering.

(b) The surveillance cameras should be included to provide maximum surveillance of all areas of the business including entry/exits, service areas, corridors and areas where cash is either kept or handled. Cameras should also cover public footpath areas around the premises. The positioning of all surveillance cameras shall be made in consultation and agreement with the Commander, Harbourside Local Area Command or his or her delegate.

- (c) Monitors should be placed in the store/office areas to allow staff to view all areas under camera surveillance.
- (d) A sign is to be erected in a prominent location within the premises advising that the premises are under CCTV surveillance for the purpose of protecting the amenity of the adjoining properties.
- (e) Where mood lighting is installed in areas of the licensed premises, all surveillance cameras must be capable of producing acceptable video images in the low light conditions
- (f) The manager is responsible for ensuring that customers of the premises comply with the conditions imposed by this consent. If the CCTV system identifies a customer or visitor breaching the conditions of consent then the manager is to take action, including removal from the premises, and prohibition of future entry as appropriate, to ensure that there is compliance with the conditions of consent.
- (g) All recording made by the CCTV system must be stored for at least 3 months and ensure that the system is accessible by at least one member of staff at all times it is in operation. The CCTV recordings must be made available to Council or a police officer or inspector within 24 hours of any request by Council, a police officer or inspector.

(Reason: Compliance with conditions/Safety/Impact on Neighbours/ Noise Control)

### **Duties of Employers**

- I20. An employer must ensure the health, safety and welfare at work of all the employees of the employer. That duty extends (without limitation) to the following:
- (a) ensuring that any premises controlled by the employer where the employees work (and the means of access to or exit from the premises) are safe and without risk to health,
  - (b) ensuring that any plant or substance provided for use by the employees at work is safe and without risks to health when properly used,
  - (c) ensuring that systems of work and the working environment of the employees are safe and without risks to health,
  - (d) providing such information, instruction, training and supervision as may be necessary to ensure the employee's health and safety at work,
  - (e) providing adequate facilities for the welfare of the employees at work

Others at workplace:

An employer must ensure that people (other than the employees of the employer) are not exposed to risks to their health or safety arising from the conduct of the employer's undertaking while they are at the employer's place of work.

(Reason: To comply with the Occupational Health & Safety Act 2000 - No. 40)

### **Signage content**

I21. Signage content must relate to the use of the tenancy and products sold therein, and any advertising material must comply with the *Code of Ethics* of the Australian Association of National Advertisers and Outdoor Media Association.

(Reason: Clarification of terms of this consent for business identification signage)

DATE OF DETERMINATION:

DATE FROM WHICH CONSENT OPERATES:

DATE CONSENT LAPSES:

### **ADVISINGS**

#### **Notes**

- (a) Council is always prepared to discuss its decisions, and in this regard please do not hesitate to contact Aloma Moriarty. However, if you wish to pursue your rights of appeal in the Land and Environment Court pursuant to Section 8.7 of the Act, you are advised that Council generally seeks resolution of such appeals through a Section 34 Conference, instead of a full Court hearing, subject to any further advice to the contrary from Council's Solicitors and senior staff. Such an approach is less adversarial, it achieves a quicker decision than would be the case through a Court hearing, and it can give rise to considerable cost and time savings for all parties involved. The use of the Section 34 Conference approach requires the appellant to agree, in advance and in writing, that the Court appointed assessor will be given the full authority to completely determine the matter at the conference.
- (b) You are advised that changes to the external configuration of the building, changes to the site layout, density and unit configuration internal changes to the proposed building or any changes to the proposed operation of a use **MAY** require the submission of a modification under Section 4.55 of the Environmental Planning & Assessment Act 1979.

Please bear this in mind before preparing documentation in support of a Construction Certificate application. Council staff would be pleased to assist in identifying such changes which may require the submission of a modification of a Development Application under Section 4.55 of the Environmental Planning & Assessment Act.

- (c) Section 8.2 of the Environmental Planning and Assessment Act 1979 provides that the applicant may request the Council to review the determination. The review must be completed within six (6) months after the date of receipt of this Notice of Determination. If you intend to lodge a request for a review it is recommended that the request, together with payment of the appropriate fees, is lodged as early as possible in order to allow sufficient time for notification, assessment, reporting, etc, prior to the expiration of the 6 month review period. It is recommended that the applicant discuss any request for a review of the determination with Council Officers before lodging such a request.
- (d) Prior to commencing any building, subdivision or associated constructions works, the following provisions of the Environmental Planning and Assessment Act 1979 (the 'Act') are to be complied with:
  - (i) Relevant approvals must be obtained under the provisions of Section 138 of the Roads Act, 1993 for any works on public roads which are not the subject of this consent.
  - (ii) A Construction Certificate is to be obtained in accordance with Section 6.3 of the Act.
  - (iii) A Principal Certifying Authority is to be appointed and Council is to be notified of the appointment in accordance with Section 6.6 of the Act.
  - (iv) Council is to be notified at least two (2) days before the intention to commence building works, in accordance with Section 6.6 (2) (a) of the Act.
- (e) The applicant may apply to the Council or an Accredited Certifier for the issuing of a Construction Certificate and to be the Principal Certifying Authority to monitor compliance with the approval and issue necessary documentary evidence or certificate/s.
- (f) **Sydney Water Requirements**

You are advised that any building works may also require prior approval from Sydney Water. Further details can be obtained from the Sydney Water website at [www.sydneywater.com.au](http://www.sydneywater.com.au).

(g) **Telecommunications**

Please consult a suitably qualified telecommunications company with a licence issued by the Australian Communications & Media Authority ([www.acma.gov.au](http://www.acma.gov.au) or 1800 226 667).

(h) **Dial before you dig**

Before you dig call “Dial before you dig” on 1100 (listen to the prompts) or further information on underground utility services for any excavation areas may be found on [www.1100.com.au](http://www.1100.com.au).

Council’s officers can provide these services, and further information, including a copy of the terms of agreement and fee schedule, can be obtained by telephoning Council’s Customer Service Centre on **9936 8100**.

*Please note that all building work must be carried out fully in accordance with the development consent and conditions of approval and it is an offence to carry out unauthorised building work or building work that is not in accordance with Council’s approval.*

*An offence under the Environmental Planning and Assessment Act 1979 and Regulations is subject to a penalty up to \$110,000 and \$11,000 respectively.*

*Council may also serve a notice and an order to require the demolition/removal of unauthorised building work or to require the building to be erected fully in accordance with the development consent.*

*On the spot penalties will be imposed for works which are carried out in breach of this consent, or without consent.*

*An amended development application is required to be submitted to and approved by Council, and a Construction Certificate is to be obtained from the Council or an Accredited Certifier, prior to commencement of any variations from the approved plans and conditions of approval.*

\_\_\_\_\_  
DATE

\_\_\_\_\_  
Signature on behalf of consent authority  
DAVID HOY  
TEAM LEADER (ASSESSMENTS)

**INDEX OF CONDITIONS**

	<b>Page No.</b>
<b>A. <i>Conditions that Identify Approved Plans</i></b>	
A1. Development in Accordance with Plans/documentation	1
A2. Plans on Site	1
A3. No Demolition of Extra Fabric	2
A4. Building Works	2
A5. Compliance with AS 4674 - Design, construction and fit out of food premises	2
A6. Use of Premises	2
A7. Crime Prevention through Environmental Design	3
<b>C. <i>Prior to the Issue of a Construction Certificate (and ongoing, where indicated)</i></b>	
C1. Cleanliness and Maintenance of Food Preparation Areas	4
C2. Garbage and Recycling Facilities	5
C3. Asbestos Material Survey	5
C4. Noise from Plant and Equipment	6
C5. Noise Control (Licensed Premises)	6
C6. Compliance with Acoustic Report	7
C7. Signage design - Control of the Obtrusive Effects of Outdoor Lighting	8
C8. Provision of Accessible Paths of Travel	8
C9. Upgrade of existing building – Fire Spread and Safe Egress	9
<b>D. <i>Prior to the Commencement of any Works (and continuing where indicated)</i></b>	
D1. Asbestos Material Survey	9
D2. Commencement of Works Notice	10
<b>E. <i>During Demolition and Building Work</i></b>	
E1. Parking Restrictions	10
E2. Road Reserve Safety	11
E3. Removal of Extra Fabric	11
E4. Dust Emission and Air Quality	11
E5. Developer's Cost of Work on Council Property	12
E6. No Removal of Trees on Public Property	12
E7. Special Permits	12
E8. Construction Hours	13
E9. Out of Hours Work Permits	14
E10. Site Amenities and Facilities	15
E11. Health and Safety	15
E12. Prohibition on Use of Pavements	15
E13. Plant & Equipment Kept Within Site	16
E14. Asbestos Removal	16
<b>F. <i>Prescribed Conditions imposed under EP&amp;A Act and Regulations and other relevant Legislation</i></b>	
F1. National Construction Code	16

F2.	Appointment of a Principal Certifying Authority (PCA)	16
F3.	Construction Certificate	17
F4.	Occupation Certificate	17
F5.	Critical Stage Inspections	17
F6.	Commencement of Works	17
F7.	Demolition	17
F8.	Site Sign	18
F9.	Maximum Capacity Site Sign	18
<b>G.</b>	<b><i>Prior to the Issue of an Occupation Certificate</i></b>	
G1.	Infrastructure Repair and Completion of Works	18
G2.	Access to Premises	19
G3.	Noise Certification	19
G4.	Certification for Mechanical Exhaust Ventilation	19
G5.	Utility Services	19
G6.	Asbestos Clearance Certificate	19
<b>I.</b>	<b><i>On-Going / Operational Conditions</i></b>	
I1.	Trade Waste	20
I2.	Connection to Sewers of Sydney Water Corporation	20
I3.	Noise and Vibration Impact	20
I4.	Noise Conditions for Licensed Premises	20
I5.	Hours of Illumination	21
I6.	Signage Illumination Intensity	21
I7.	No Entertainment	22
I8.	Patron Behaviour	22
I9.	Daily Cleaning	23
I10.	Waste Collection	23
I11.	Delivery Hours	23
I12.	Shop Premises Registration	23
I13.	Footpath Seating Permit Required	24
I14.	Hours of Operation	24
I15.	Restaurant Service to be Available at all Times During Operation	24
I16.	Plan of Management	24
I17.	Licensed Premises Registration	25
I18.	Liquor Accord	25
I19.	CCTV Coverage	25
I20.	Duties of Employers	26
I21.	Signage Content	27